



MISURA PNEUMATICO		AUTOBUS	AUTOCARRI			TRATTORINI				APPLICAZIONI SPECIALI					
		SUPER BUS	T2	POLAR	POLAR D	RALLYE	UNITOUR	SUPER POLAR	RALLYE Q	SUPER IMPACT	IMPACT PLUS	DRS	IMPACT	DR	SUPER TRACTOR
400-	10						006								
450-							008								
650-								160							
7.50-								169							
4.00- Trak						139	139								
4.0-						139	139								
4.50- Trak						157									
5.00- Trak						157									
20 x 8.00-						142			457						
20 x 10.00-						149									
21 x 7-									457						
21 x 8.00-									458						
22 x 10-								167							
22 x 11-									467						
22 x 12.00-									470						
23 x 7.00-									464						
23 x 9-								150							
25 x 11-									479						
20.5/8.0-								140							
100/90-							004								
230/75-								150							
200/50-								143							
22 x 9-	11								461						
500- Trak	12					158	158								
600-						158	158								
700-								170							
5.70-								140							
6-						162									
6.5/80-						163	163								
10.0/80-				258										258	
250/75-								178							
23 x 8.50-								167							
23 x 10.50-								168							
25 x 8.00-									473						
25 x 10.00-								171	476						
25 x 11-									479						
25 x 12.50-									481						
26 x 8-									480						
26 x 11-									481						
26 x 12.00-								180							
27 x 10-								178							
320/60-				249											
26 x 8-	14								480						
26 x 10-									479						
26 x 11-									481						
26 x 12-									482						
305/50-									482						
250-	15			248				248							
300-								287							
300- Continental IC12								285							
300- Superelastic								285							
825-			270	270	270	270	270							270	
7.00-								240							
7.00- Solideal								241							
7.50-								250							
6.5/80-								185							
250/70-				248											
315/70-								352							
27 x 8.50-								246							
27 x 10.50-														253	
29 x 12.00-				264										264	
29 x 12.50-				263										263	
35 x 12.50-				350	350	350	350								
29 x 13.50-				264										264	
31 x 11.50-														265	

Attenzione: cerchi da 12", 14" e 15" si possono trovare anche da pag. 55 a 58.

		AUTOBUS	AUTOCARRI				TRATTORINI		APPLICAZIONI SPECIALI						
MISURA PNEUMATICO		SUPER BUS	T2	POLAR	POLAR D	RALLYE	UNITOUR	SUPER POLAR	RALLYE Q	SUPER IMPACT	IMPACT PLUS	DRS	IMPACT	DR	SUPER TRACTOR
31 x 15.50-	15			268										268	
33 x 12.50-				296		296								296	
33 x 15.50-													363	363	
10.0/75-	15.3			258										258	
11.5/80-				296		296								296	
400/60-	15.5												363	363	
750-	16		260	260	260	260	260							260	
825-			270	270	270	270	270							270	
900-			350	350	350	350	350								
11.00-			295	295	295	295	295								
12.0-			350	350	350	350	350								
13.6-				300	300	300	300								
255/100-			350	350	350	350	350								
235/85-			265	265										265	
255/85-				271		271									
250/80-				273											
265/75-			265	265										265	
285/75-				296		296								296	
295/75-			275	275	275	275	275								
240/70-														256	
260/70-				258										258	
265/70-														265	
280/70-				265										265	
320/65-				296		296								296	
9.50-	16.5			260	260	260	260							260	
10-				258										258	
12-														294	
35 x 12.50-														298	
35 x 14.50-													363	363	
825-	17		280	280		280	280								
35 x 12.50-			350	350	350	350	350								
315/70-			350	350	350	350	350								
265/65-			265	265										265	
425/55-				364								364		364	
450/55-				364								364		364	
15.0/55-												363		363	
8.5-	17.5		260	260	260	260	260							260	
9.5-		902	270	270	270	270	270							270	
10-			274	274		274								274	
225/75-		901	260	260	260	260	260							260	
235/75-		902	270	270	270	270	270							270	
245/70-			270	270	270	270	270							270	
265/70-			274	274		274								274	
400/55-													363	363	
750-	18		270	270	270	270	270							270	
9.5-				271		271									
10.5-				277										277	
12.0-													358	358	
12.5-				360		360			401				360	360	360
10.5/80-				277										277	
12.5/80-				360		360							360	360	360
12.0/75-														298	
15.5/55-													363	363	
250/80-				274		274								274	
275/80-				277										277	
335/80-				360		360							360	360	360
340/80-				360		360			402				360	360	360
280/70-														294	
365/70-				360		360							360	360	360
405/70-									413				522	522	
275/65-			274	274		274									
320/65-														298	
255/60-			265	265										265	
385/55-													363	363	
12.0 x 12.5-				358									358	358	

Attenzione: cerchi da 15", 16", 17", 17.5" e 18" si possono trovare anche da pag. 56 a 61.

		AUTOBUS	AUTOCARRI				TRATTORINI		APPLICAZIONI SPECIALI						
MISURA PNEUMATICO		SUPER BUS	T2	POLAR	POLAR D	RALLYE	UNITOUR	SUPER POLAR	RALLYE Q	SUPER IMPACT	IMPACT PLUS	DRS	IMPACT	DR	SUPER TRACTOR
33 x 12.50-	18			296		296								296	
7-	19.5		260	260	260	260	260							260	
8-			270	270	270	270	270							270	
9-			280	280		280	280								
9.5-			280	280		280	280								
15-													500	500	
18-													510	510	
245/70-			274	274		274								274	
265/70-		903	275	275	275	275	275							275	
275/70-		911	350	350	350	350	350								
285/70-		911	350	350	350	350	350								
305/70-			295	295	295	295	295								
425/55-													500	500	
650-	20		270	270	270	270	270							270	
700-			270	270	270	270	270							270	
750-			280	280		280	280								
800-			280	280		280	280								
825-			290	290	290	290	290							290	
900-			300	300	300	300	300						300	300	300
10.00-			310	310	310	310	310						310	310	310
11.00-			320	320	320	320	320						320	320	320
12.00-			330	330	330	330	330						330	330	330
14.00-				390		390							390	390	390
9.5-				277										277	
10.5-				358									358	358	
11.2-				359										359	
12.5-				370	370	370	370			405			370	370	370
13.00-				380						408			380	380	
14.5-				520						412			520	520	520
14.9-				520									520	520	520
16-													505	505	505
16/70-										411			505	505	505
17.5/70-													510	510	
16.5/75-				795									795	795	795
225/90-			280	280		280	280								
280/85-				359										359	
320/85-				370		370							370	370	370
365/85-				380									380	380	
395/85-				795									795	795	795
12/80-			310	310	310	310	310						310	310	310
13/80-				370	370	370	370						370	370	370
14/80-				520									520	520	520
14.75/80-				380									380	380	
15.5/80-				795									795	795	795
260/80-														290	
275/80-				358									358	358	
335/80-				370	370	370	370						370	370	370
365/80-				520									520	520	520
340/75-													370	370	370
375/75-				520									520	520	520
425/75-				795									795	795	795
300/70-				358									358	358	
320/70-				360		360							360	360	360
360/70-													373	373	373
375/70-													500	500	
380/70-													505	505	505
400/70-													505	505	505
405/70-										411			505	505	505
455/70-													510	510	
275/65-			350	350	350	350	350								
420/65-													505	505	505
440/65-													506	506	506
275/60-			279												
500/45-															771
38 x 14.00-				360		360							360	360	360

Attenzione: cerchi da 18" e 20" si possono trovare anche da pag. 60 a 62.

		AUTOBUS	AUTOCARRI				TRATTORINI		APPLICAZIONI SPECIALI						
MISURA PNEUMATICO		SUPER BUS	T2	POLAR	POLAR D	RALLYE	UNITOUR	SUPER POLAR	RALLYE Q	SUPER IMPACT	IMPACT PLUS	DRS	IMPACT	DR	SUPER TRACTOR
17.5 x 65-	20														506
1100-	22		330	330	330	330	330						330	330	330
8-	22.5		280	280		280	280								
9-			290	290	290	290	290							290	
10-			300	300	300	300	300						300	300	300
11-			310	310	310	310	310						310	310	310
11- Michelin XDY 3										406					
12-			370	370	370	370	370						370	370	370
12- Michelin XZY 2			371	371		371							320	320	320
12- Michelin XDE 2+			371	371		371							320	320	320
13-			330	330	330	330	330						330	330	330
15-				520									520	520	520
15- Michelin XF													505	505	505
16.5-				525											
18-				530											
12/80-			370	370	370	370	370						370	370	370
13/75-			370	370	370	370	370						370	370	370
11/70-			300	300	300	300	300						300	300	300
275/80-		907	310	310	310	310	310						310	310	310
295/80-		912	370	370	370	370	370						370	370	370
295/80- Bridgestone M729		913	371	371		371	371						370	370	370
295/80- Michelin XDN2 Grip		913	371	371		371	371								
315/80-		909	320	320	320	320	320						320	320	320
315/80- Michelin XDN2 Grip		910	330	330	330	330	330						320	320	320
315/75-		912	370	370	370	370	370						370	370	370
255/70-		904	290	290	290	290	290							290	
275/70-		905	300	300	300	300	300						300	300	300
295/70-		905	300	300	300	300	300						300	300	300
305/70-			310	310	310	310	310						310	310	310
315/70-		907	310	310	310	310	310						310	310	310
315/70- Bridgestone M729		912	370	370	370	370	370								
315/70- Michelin XDN2 Grip		912	370	370	370	370	370								
385/65-				520									520	520	520
425/65-				525											
445/65-				530											
285/60-			295	295	295	295	295								
295/60-		914	295	295	295	295	295								
305/60-			300	300	300	300	300						300	300	300
315/60-		906	305	305		305									
500/60-													517	517	
385/55-		908	316	316		316									
400/55-													370	370	370
600/50-														512	
550/45-													510	510	
8.3-	24		290	290	290	290	290							290	
9.5-			300	300	300	300	300						300	300	300
11.2-				370	370	370	370						370	370	370
14.5-				790									790	790	790
17.5-										420			550	550	
20-											585	585			
12.4-				770									770	770	770
13.6-				780						435			780	780	780
14.9-				790									790	790	790
14.9/80-				790									790	790	790
16.9-										421			830	830	830
16.5/85-													830	830	830
14/80-				400											
15.5/80-				790									790	790	790
17.0/80-													550	550	
16/70-				795									795	795	795
385/95-													540	540	
280/85-				370	370	370	370						370	370	370
320/85-				770									770	770	770
320/85- Conti AC85				772									772	772	772
340/85-				780									780	780	780

Attenzione: cerchi da 20" e 22" si possono trovare anche a pag. 62.

		AUTOBUS	AUTOCARRI					TRATTORINI		APPLICAZIONI SPECIALI					
MISURA PNEUMATICO		SUPER BUS	T2	POLAR	POLAR D	RALLYE	UNITOUR	SUPER POLAR	RALLYE Q	SUPER IMPACT	IMPACT PLUS	DRS	IMPACT	DR	SUPER TRACTOR
380/85-	24			790									790	790	790
420/85-													830	830	830
340/80-				772									772	772	772
360/80-				380									380	380	
400/80-				790									790	790	790
440/80-													550	550	
440/80- Nokian TRI-2													830	830	
420/75-													570	570	
300/70-			310	310	310	310	310						310	310	310
320/70-				520									520	520	520
360/70-				775									775	775	775
380/70-				795									795	795	795
405/70-				795									795	795	795
420/70-													825	825	825
445/70-													550	550	
455/70-										417			570	570	
480/70-													540	540	
420/65-				795									795	795	795
440/65-				790									790	790	790
480/65-													570	570	570
540/65-													878	878	878
10.00-			330	330	330	330	330						330	330	330
12.00-				400											
13.00-													825	825	825
14.00-													540	540	
16.00-													860	860	860
305/75-	24.5		320	320	320	320	320						320	320	320
315/75-			330	330	330	330	330						330	330	330
14.00-	25												540	540	
16.00-													575	575	
15.5-										417			570	570	
17.5-										422			580	580	
18.00-													560	560	
20.5-										426	590	590			
23.5-										430	600	600			
26.5-												620			
26.5-DT*												625			
385/95-													540	540	
445/95-													575	575	
445/80-													580	580	
525/80-											590	590			
550/65-											585	585			
14.9-	26												825	825	825
18.4-													880	880	880
28.1-											605	605			
480/70-													878	878	878
540/65-													880	880	880
400/60-	26.5			772									772	772	772
600/55-											585	585			
11.2-	28			772									772	772	772
12.4-				810									810	810	810
13.6-				820									820	820	820
14.9-													830	830	830
16.9-													840	840	840
16.5/85-													840	840	840
340/85-				820									820	820	820
420/85-													840	840	840
400/80- Nokian TRI-2													830	830	
440/80-													840	840	840
320/70-				772									772	772	772
360/70-				790									790	790	790
380/70-													825	825	825
380/70- Kleber Fitker													570	570	570
420/70-													850	850	850
480/70-													880	880	880

\* Deep Tread (pneumatico tassellato)

		AUTOBUS	AUTOCARRI				TRATTORINI		APPLICAZIONI SPECIALI						
MISURA PNEUMATICO		SUPER BUS	T2	POLAR	POLAR D	RALLYE	UNITOUR	SUPER POLAR	RALLYE Q	SUPER IMPACT	IMPACT PLUS	DRS	IMPACT	DR	SUPER TRACTOR
600/70-	28										598	598			
440/65-													830	830	830
480/65-													878	878	878
540/65-													885	885	885
500/65-													878	878	878
600/65-											595	595			595
520/60-													880	880	880
14.9-	30												850	850	850
16.9-													860	860	860
18.4-													870	870	870
18.4- Nokian TRI-2													869	869	
380/85-													850	850	850
420/85-													860	860	860
460/85-													870	870	870
440/80-													860	860	860
480/80- Nokian TRI-2													869	869	
420/70-													840	840	840
480/70-													885	885	885
600/70-											600	600			
520/70-													887	887	887
540/65-													886	886	886
600/60-	30.5												603		
12.4-	32			820									820	820	820
24.5-												620			
30.5-															987
800/65-															987
650/75-												620			
16.9-	34												870	870	870
18.4-													900	900	900
420/85-													870	870	870
460/85-													900	900	900
440/80-													870	870	870
520/75-													950	950	950
480/70-													875	875	875
520/70-													900	900	900
600/70-													960	960	960
540/65-													900	900	900
600/65-											605	605			605
12.4-	36			920									920	920	
13.6-				930										930	
13.6-	38			940									940	940	
14.9-													870	870	870
15.5-													869	869	
16.9-													950	950	950
18.4-									440				960	960	960
20.8-													970	970	970
420/85-													950	950	950
460/85-													960	960	960
520/85-													970	970	970
480/80- Nokian TRI-2													950	950	950
480/70-													950	950	950
520/70-													960	960	960
580/70-											985	985			
710/70-															988
540/65-													950	950	950
600/65-											980	980			980
650/65-												625			625
650/60-															623
710/60-															986
20.8-	42													975	
580/70-												625			
620/70-															627
710/70-															990
710/75-															992
650/65-												628			628