

MISURA PNEUMATICO		AUTOBUS		AUTOCARRI					APPLICAZIONI SPECIALI					
		SUPER BUS	TRUCK RECORD	T2 NO PROBLEM	POLAR	POLAR D	JUMBO	RALLYE	UNITOUR	SUPER IMPACT	IMPACT PLUS	DRS	IMPACT	DR
10.0/80-	12				258									258
320/60-					249									
250-	15				248									
825-			270	270	270	270		270	270					270
250/70-					248									
27 x 10.50-														253
29 x 12.00-					264									264
29 x 12.50-					263									263
35 x 12.50-					350	350		350	350					
29 x 13.50-					264									264
31 x 11.50-														265
31 x 15.50-					268									268
33 x 12.50-					296			296						296
33 x 15.50-												363		363
10.0/75-	15.3				258									258
11.5/80-					296			296						296
400/60-	15.5											363		363
750-	16		260	260	260	260		260	260					260
825-			270	270	270	270		270	270					270
900-			350	350	350	350		350	350					
11.00-			295	295	295	295		295	295					
12.0-			350	350	350	350		350	350					
13.6-					300	300		300	300					
255/100-			350	350	350	350		350	350					
235/85-				265	265									265
255/85-					271			271						
250/80-					273									
265/75-				265	265									265
285/75-					296			296						296
295/75-			275	275	275	275		275	275					
240/70-														256
260/70-					258									258
265/70-														265
280/70-					265									265
320/65-					296			296						296
9.50-	16.5				260	260		260	260					260
10-					258									258
12-														294
35 x 12.50-														298
35 x 14.50-												363		363
825-	17			280	280			280	280					
35 x 12.50-			350	350	350	350		350	350					
315/70-			350	350	350	350		350	350					
265/65-				265	265									265
425/55-					364							364		364
15.0/55-												363		363
8.5-	17.5		260	260	260	260		260	260					260
9.5-		902	270	270	270	270		270	270					270
10-			274	274	274			274						274
225/75-		901	260	260	260	260		260	260					260
235/75-		902	270	270	270	270		270	270					270
245/70-			270	270	270	270		270	270					270
265/70-			274	274	274			274						274
400/55-												363		363
750-	18		270	270	270	270		270	270					270
9.5-					271			271						
10.5-					277									277
12.0-												358		358
12.5-					360			360		401		360		360
10.5/80-					277									277
12.5/80-					360			360				360		360
12.0/75-														298
15.5/55-												363		363
250/80-					274			274						274
275/80-					277									277
335/80-					360			360				360		360
340/80-					360			360				360		360

MISURA PNEUMATICO		AUTOBUS		AUTOCARRI					APPLICAZIONI SPECIALI					
		SUPER BUS	TRUCK RECORD	T2 NO PROBLEM	POLAR	POLAR D	JUMBO	RALLYE	UNITOUR	SUPER IMPACT	IMPACT PLUS	DRS	IMPACT	DR
280/70-	18												294	
365/70-					360			360				360	360	360
405/70-												522	522	
275/65-			274	274	274			274						
320/65-													298	
255/60-				265	265								265	
385/55-												363	363	
12.0 x 12.5-					358							358	358	
7-	19.5		260	260	260	260		260	260				260	
8-			270	270	270	270		270	270				270	
9-				280	280			280	280					
9.5-				280	280			280	280					
15-												500	500	
18-												510	510	
245/70-			274	274	274			274					274	
265/70-		903	275	275	275	275		275	275				275	
275/70-		911	350	350	350	350		350	350					
285/70-		911	350	350	350	350		350	350					
305/70-			295	295	295	295		295	295					
425/55-												500	500	
435/50-							331							
445/45-							329							
650-	20		270	270	270	270		270	270				270	
700-			270	270	270	270		270	270				270	
750-				280	280			280	280					
800-				280	280			280	280					
825-			290	290	290	290		290	290				290	
900-			300	300	300	300		300	300			300	300	300
10.00-			310	310	310	310		310	310			310	310	310
11.00-			320	320	320	320		320	320			320	320	320
12.00-			330	330	330	330		330	330			330	330	330
14.00-					390			390				390	390	390
9.5-					277								277	
10.5-					358							358	358	
11.2-					359								359	
12.5-					370	370		370	370	405		370	370	370
13.00-					380					408		380	380	
14.5-					520					412		520	520	520
14.9-					520							520	520	520
16-												505	505	505
16/70-												505	505	505
17.5/70-												510	510	
16.5/75-					795							795	795	795
225/90-				280	280			280	280					
280/85-					359								359	
320/85-					370			370				370	370	370
365/85-					380							380	380	
395/85-					795							795	795	795
12/80-			310	310	310	310		310	310			310	310	310
13/80-					370	370		370	370			370	370	370
14/80-					520							520	520	520
14.75/80-					380							380	380	
15.5/80-					795							795	795	795
260/80-													290	
275/80-					358							358	358	
335/80-					370	370		370	370			370	370	370
365/80-					520							520	520	520
340/75-												370	370	370
375/75-					520							520	520	520
425/75-					795							795	795	795
300/70-					358							358	358	
320/70-					360			360				360	360	360
360/70-												373	373	373
375/70-												500	500	
380/70-												505	505	505
400/70-												505	505	505
405/70-												505	505	505

MISURA PNEUMATICO		AUTOBUS		AUTOCARRI					APPLICAZIONI SPECIALI					
		SUPER BUS	TRUCK RECORD	T2 NO PROBLEM	POLAR	POLAR D	JUMBO	RALLYE	UNITOUR	SUPER IMPACT	IMPACT PLUS	DRS	IMPACT	DR
455/70-	20											510	510	
275/65-			350	350	350	350		350	350					
420/65-												505	505	505
440/65-														506
275/60-				279										
500/45-														771
38 x 14.00-					360			360				360	360	360
17.5 x 65-														506
1100-	22		330	330	330	330		330	330			330	330	330
8-	22.5			280	280			280	280					
9-			290	290	290	290		290	290				290	
10-			300	300	300	300		300	300			300	300	300
11-			310	310	310	310		310	310			310	310	310
12-			370	370	370	370		370	370			370	370	370
13-			330	330	330	330		330	330			330	330	330
15-					520							520	520	520
15- Michelin XF												505	505	505
16.5-					525									
18-					530									
12/80-			370	370	370	370		370	370			370	370	370
13/75-			370	370	370	370		370	370			370	370	370
11/70-			300	300	300	300		300	300			300	300	300
275/80-		907	310	310	310	310		310	310			310	310	310
295/80-		912	370	370	370	370		370	370			370	370	370
295/80- Bridgestone M729		913	371	371	371			371	371			370	370	370
295/80- Michelin XDN2 Grip		913	371	371	371			371	371					
315/80-		909	320	320	320	320		320	320			320	320	320
315/80- Michelin XDN2 Grip		910	330	330	330	330		330	330			320	320	320
315/75-		912	370	370	370	370		370	370			370	370	370
255/70-		904	290	290	290	290		290	290				290	
275/70-		905	300	300	300	300		300	300			300	300	300
295/70-		905	300	300	300	300		300	300			300	300	300
305/70-			310	310	310	310		310	310			310	310	310
315/70-		907	310	310	310	310		310	310			310	310	310
315/70- Bridgestone M729		912	370	370	370	370		370	370					
315/70- Michelin XDN2 Grip		912	370	370	370	370		370	370					
385/65-					520							520	520	520
425/65-					525									
445/65-					530									
285/60-			295	295	295	295		295	295					
295/60-			295	295	295	295		295	295					
305/60-			300	300	300	300		300	300			300	300	300
315/60-		906	305	305	305			305						
500/60-												517	517	
385/55-		908	316	316	316			316						
400/55-												370	370	370
600/50-													512	
455/45-							333							
495/45-							335							
550/45-												510	510	
8.3-	24		290	290	290	290		290	290				290	
9.5-			300	300	300	300		300	300			300	300	300
11.2-					370	370		370	370			370	370	370
14.5-					790							790	790	790
17.5-												550	550	
20-											585	585		
12.4-					770							770	770	770
13.6-					780					435		780	780	780
14.9-					790							790	790	790
14.9/80-					790							790	790	790
16.9-												830	830	830
16.5/85-												830	830	830
14/80-					400									
15.5/80-					790							790	790	790
17.0/80-												550	550	
16/70-					795							795	795	795
385/95-												540	540	

MISURA PNEUMATICO		AUTOBUS		AUTOCARRI					APPLICAZIONI SPECIALI						
		SUPER BUS	TRUCK RECORD	T2 NO PROBLEM	POLAR	POLAR D	JUMBO	RALLYE	UNITOUR	SUPER IMPACT	IMPACT PLUS	DRS	IMPACT	DR	SUPER TRACTOR
280/85-	24				370	370		370	370				370	370	370
320/85-					770								770	770	770
320/85-	Conti AC85				772								772	772	772
340/85-					780								780	780	780
380/85-					790								790	790	790
340/80-					772								772	772	772
360/80-					380								380	380	
400/80-					790								790	790	790
440/80-													550	550	
440/80-	Nokian TRI-2												830	830	
420/75-													570	570	
300/70-			310	310	310	310		310	310				310	310	310
320/70-					520								520	520	520
360/70-					775								775	775	775
380/70-					795								795	795	795
405/70-					795								795	795	795
420/70-													825	825	825
445/70-													550	550	
480/70-													540	540	
420/65-	Nokian TRI-2												795	795	
440/65-					790								790	790	790
480/65-													570	570	
540/65-													878	878	878
10.00-			330	330	330	330		330	330				330	330	330
12.00-					400										
13.00-													825	825	825
14.00-													540	540	
16.00-													860	860	860
305/75-	24.5		320	320	320	320		320	320				320	320	320
315/75-			330	330	330	330		330	330				330	330	330
14.00-	25												540	540	
16.00-													575	575	
15.5-										417			570	570	
17.5-										422			580	580	
18.00-													560	560	
20.5-										426	590	590			
23.5-										430	600	600			
26.5-												620			
26.5-DT*												625			
385/95-													540	540	
445/95-													575	575	
445/80-													580	580	
525/80-											590	590			
550/65-											585	585			
14.9-	26												825	825	825
18.4-													880	880	880
28.1-											605	605			
480/70-													878	878	878
540/65-													880	880	880
400/60-	26.5				772								772	772	772
600/55-											585	585			
11.2-	28				772								772	772	772
12.4-					810								810	810	810
13.6-					820								820	820	820
14.9-													830	830	830
16.9-													840	840	840
16.5/85-													840	840	840
340/85-					820								820	820	820
420/85-													840	840	840
400/80-	Nokian TRI-2												830	830	
440/80-													840	840	840
320/70-					772								772	772	772
360/70-					790								790	790	790
380/70-													825	825	825
380/70-	Kleber Fitker												570	570	570
420/70-													850	850	850
480/70-													880	880	880

*Deep Tread (pneumatico tassellato)

MISURA PNEUMATICO		AUTOBUS		AUTOCARRI					APPLICAZIONI SPECIALI					
		SUPER BUS	TRUCK RECORD	T2 NO PROBLEM	POLAR	POLAR D	JUMBO	RALLYE	UNITOUR	SUPER IMPACT	IMPACT PLUS	DRS	IMPACT	DR
600/70-	28									598	598			
440/65-												830	830	830
480/65-												878	878	878
540/65-												885	885	885
500/65-												878	878	878
600/65-										595	595			595
520/60-												880	880	880
14.9-	30											850	850	850
16.9-												860	860	860
18.4-												870	870	870
18.4- Nokian TRI-2												869	869	
380/85-												850	850	850
420/85-												860	860	860
460/85-												870	870	870
440/80-												860	860	860
480/80- Nokian TRI-2												869	869	
420/70-												840	840	840
480/70-												885	885	885
600/70-										600	600			
520/70-												887	887	887
540/65-												886	886	886
600/60-	30.5											603		
12.4-	32				820							820	820	820
24.5-											620			
30.5-														987
800/65-														987
650/75-											620			
16.9-	34											870	870	870
18.4-												900	900	900
420/85-												870	870	870
460/85-												900	900	900
440/80-												870	870	870
520/75-												950	950	950
480/70-												875	875	875
520/70-												900	900	900
540/65-												900	900	900
600/65-										605	605			605
12.4-	36				920							920	920	
13.6-					930								930	
13.6-	38				940							940	940	
14.9-												870	870	870
16.9-												950	950	950
18.4-									440			960	960	960
20.8-												970	970	970
420/85-												950	950	950
460/85-												960	960	960
520/85-												970	970	970
480/70-												950	950	950
520/70-												960	960	960
580/70-										985	985			
710/70-														988
540/65-												950	950	950
600/65-										980	980			980
650/65-											625			625
650/60-														623
20.8-	42												975	
580/70-											625			
620/70-														627
710/70-														990
710/75-														992
650/65-											628			628

RINGRAZIAMENTI

Per le auto: FDL, Lecco - Autostar Ricci, Lecco - Fratelli Redaelli, Lecco
 Per l'abbigliamento: Blackhole, Morbegno
 Per le location: Ice Driving School, Livigno